

Quarterly Test Reporting Format

Denomination	Category of Notes	No. of Notes	Processing result				
			Fit	Unfit	Suspect	Reject	Total
100 (OLD)	Soiled/ Reissue						
	Mutilated						
	Counterfeit						
100 (NEW)	Soiled/ Reissue						
	Mutilated						
	Counterfeit						
200	Soiled/ Reissue						
	Mutilated						
	Counterfeit						
500 (NEW)	Soiled/ Reissue						
	Mutilated						
	Counterfeit						
2000	Soiled/ Reissue						
	Mutilated						
	Counterfeit						

(Signature)
Machine Supplier

(Signature)
NSM Operator

(Signature)
Bank Official

Testing Procedure

- A test deck of minimum 2000 pieces of soiled notes including mutilated notes, FICNs, Reissuables shall be prepared every quarter.
- These notes may be comprised of following denominations - Rs.100 – old series (20%), Rs. 100 – new series (20%), Rs. 200 (20%), Rs.500 (20%) and Rs. 2000 (20%), as per availability i.e. if notes in any denomination is not available, same may be replaced with other available denominations, and shall be run separately.
- In case of discrepancies, machine supplier shall be advised to re-calibrate the machines. The acceptable tolerance level for fitness checks is 5%, however, there is zero tolerance for FICNs.